11/4/03 DRAFT

Fire Regime Condition Class (FRCC) Interagency Handbook Reference Conditions

Modeler: Doug Havlina Date: 8/14/03 PNVG Code: PPIN9

Potential Natural Vegetation Group: Ponderosa Pine (Black Hills).

Geographic Area: Southern and eastern Montana, northern Wyoming, western North Dakota.

Description: PNVG occurs in landscape mosaic with plains grasslands, juniper, and sagebrush types on flat and gentle south-facing slopes. Historically, found with mixture of western bunchgrass and plains grassland communities.

Fire Regime Description: Fire Regime I, primarily short-interval (e.g., <25 yr) surface fires.

Vegetation Type and Structure

Class	Percent of	Description
	Landscape	
A: post	10	Grass and forb dominated community following
replacement		fire and grazing effects
B: mid-	15	Dense mid-development forest; pole to large
development		pole size trees susceptible to stagnation.
closed		Marginal understory associated with limited
		site resources.
C: mid- open	25	Open mid-development forest with diverse
		herbaceous understory. Maintained by
		frequent burning.
D: late- open	40	Open late-development forest; widely spaced
		trees, diverse understory, and limited surface
		fuels due to frequent burning.
E: late- closed	10	1 3
		within-stand mortality. Poorly developed
		understory and substantial surface fuel
		accumulation.
Total	100	

Fire Frequency and Severity

Fire Frequency-	Modeled	Pct, All	Description	
Severity	Probability	Fires	•	
Replacement Fire	005	12	Crown fire in B and E	<u> </u>

Non-Replacement	.038	88 Mostly surface fire; limited mosaic	
Fire		fire in B, C, and E	
All Fire Frequency*	.043	100	

^{*}Sum of replacement fire and non-replacement fire probabilities.

References

Agee, James K. 1993. Fire Ecology of Pacific Northwest Forests. Island Press, Washington D.C. 493 p.

Anderson, Hal E. 1982. Aids to Determining Fuel Models For Estimating Fire Behavior. Gen. Tech. Rep. INT-122. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 22 p.

Arno, Stephen F. 2000. Fire in western forest ecosystems. In: Brown, James K.; Kapler-Smith, Jane, eds. Wildland fire in ecosystems: Effects of fire on flora. Gen. Tech. Rep. RMRS-GTR-42-vol. 2. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 97-120.

Arno, Stephen F. 1980. Forest Fire History in the Northern Rockies. Journal of Forestry. 78(8):460-465.

Arno, Stephen F., Scott, Joe H., and Hartwell, Michael G. 1995. Age-Class Structure of Old Growth Ponderosa Pine/Douglas-fir Stands and its Relationship to Fire History. Res. Paper INT-RP-481. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 25 p.

Arno, Stephen F. 1976. The historical role of fire on the Bitterroot National Forest. Research Paper INT-187. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 29 p.

Arno, Stephen F., and Menakis, James P. 1997. Fire Episodes in the Inland Northwest (1540-1940) Based on Fire History Data. Gen. Tech. Rep. INT-GTR-370. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 17 p.

Barrett, Stephen W. 1999. A Fire Regimes Classification for Northern Rocky Mountain Forests. 37 p.

Bradley, Anne F., Fischer, William C., and Noste, Nonan V. 1992. Fire Ecology of the Forest Habitat Types of Eastern Idaho and Western Wyoming. Gen. Tech. Rep. INT-GTR-290. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 92 p.

Brown, James K.; Smith, Jane Kapler, eds. 2000. Wildland fire in ecosystems: effects of fire on flora. Gen. Tech. Rep. RMRS-GTR-42-vol. 2. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 257 p.

Crane, Marilyn F. 1982. Fire ecology of Rocky Mountain Region forest habitat types. Final report: Contract No. 43-83X9-1-884. Missoula, MT: U.S. Department of Agriculture, Forest Service, Region 1. 272 p. On file with: U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Fire Sciences Laboratory, Missoula, MT.

Eyre, F. H., ed. 1980. Forest cover types of the United States and Canada. Washington, DC: Society of American Foresters. 148 p.

Fischer, William C., and Clayton, Bruce D. 1983. Fire Ecology of Montana Forest Habitat Types East of the Continental Divide. Gen. Tech. Rep. INT-GTR-141. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 83 p.

Hardy, Colin C., Kirsten M. Schmidt, James P. Menakis, R. Neil Samson. 2001. Spatial data for national fire planning and fuel management. Int. J. Wildland Fire. 10(3&4): 353-372.

Kilgore, B.M. 1981. Fire in ecosystem distribution and structure: western forests and scrublands. p. 58-89. In: H.A. Mooney et al. (Technical Coordinators). Proceedings: Conference on Fire Regimes and Ecosystem Properties, Honolulu, 1978. Gen. Tech. Rep. WO-GTR-26.

Kuchler, A.W. 1964. Potential Natural Vegetation of the Conterminous United States. American Geographic Society Special Publication No. 36. 116 p.

Ogle, Karen, and DuMond, Valerie. 1997. Historical Vegetation on National Forest Lands in the Intermountain Region. U.S. Department of Agriculture, Forest Service, Intermountain Region, Ogden, UT. 129 p.

Schmidt, Kirsten M, Menakis, James P., Hardy, Colin C., Hann, Wendel J., Bunnell, David L. 2002. Development of coarse-scale spatial data for wildland fire and fuel management. Gen. Tech. Rep. RMRS-GTR-87. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 41 p. + CD.

U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (2002, December). Fire Effects Information System, [Online]. Available: http://www.fs.fed.us/database/feis/ [Accessed: 1/30/03].

VDDT RESULTS







